


Serie | 8, Induction cooktop, 90 cm,
PXV975DV1E



Optional accessories

- HEZ390011 : Stainless Steel roaster with glas lid
HEZ390090 : Wok Set consisting of 3 Items
HEZ390512 : Teppan Yaki (large)
HEZ390522 : Griddle Plate

The induction cooktop with PerfectFry:
achieve perfect frying results thanks to
automatic temperature control.

- **DirectSelect Premium:** Direct, simple selection of the desired cooking zone, power and additional functions.
- **PerfectFry:** For perfect browning of roasted foods thanks to sensor control with 5 power levels.
- **FlexInduction Zone:** Get more flexibility by combining the cooking zones into one big zone for placing multiple small pots or large cookware.
- **Cooktop-based hood control:** convenient operation of the hood via your hob (with matching hood)
- **Triple ring:** Expandable cooking zone for very large pots and pans.
- **PowerBoost:** Up to 50% more power for faster heating.

Technical Data

Product name/family :	Cooking zone ceramic
Construction type :	Built-in
Energy input :	Electric
Total number of positions that can be used at the same time :	5
Required niche size for installation (HxWxD) :	51 x 880-880 x 490-500
Width of the product (mm) :	916
Dimensions of the product (mm) :	51 x 916 x 527
Dimensions of the packed product (HxWxD) (mm) :	126 x 1073 x 603
Net weight (kg) :	21.065
Gross weight (kg) :	23.0
Residual heat indicator :	Separate
Location of control panel :	Hob front
Basic surface material :	Ceramic
Color of surface :	Alu, brushed, Black
Color of frame :	Alu, brushed
Approval certificates :	AENOR, CE
Length electrical supply cord (cm) :	110
EAN code :	4242002944340
Electrical connection rating (W) :	11100
Voltage (V) :	220-240
Frequency (Hz) :	50; 60



Serie | 8, Induction cooktop, 90 cm, PXV975DV1E

**The induction cooktop with PerfectFry:
achieve perfect frying results thanks to
automatic temperature control.**

Design

- Stainless steel side profiles with beveled front
- 5 Induction cooking zones
- Direct Select Premium Touch Control

Size & Power

- 17 power levels for each cooking zone
- Cooking zone front left: FlexZone
 - 200 mm, 230 mm
 - 2.2 KW
- Cooking zone rear left: FlexZone
 - 230 mm, 200mm (high)
 - 2.2 kW
- Vector zone
 - 200 mm, 230 mm
 - 2.2 kW
- Cooking zone right: flex zone
 - 200 mm, 230 mm
 - 2.2 KW
- Cooking zones:
 - 1 x Ø 400 mmx230 mm, 3.3 KW (max. Power level 3.7 KW)
 - Induction or 2 x Ø 230 mm, 2.2 KW (max. Power level 3.7 KW)
 - Induction;
 - 1 x Ø 260 mm, 2.2 KW (max. Power level 3.7 KW) Induction;
 - 1 x Ø 400 mmx230 mm, 3.3 KW (max. Power level 3.7 KW)
 - Induction oder 2 x Ø 200 mm, 2.2 KW (max. Power level 3.7 KW) Induction

Comfort & Convenience

- Hob-based hood control (with matching hood)
- Timer with automatic switch off for all zones
- PowerBoost function - reduce the time to heat up large quantities of water
- ShortBoost function - reduce the time to heat up pans
- PerfectFry sensor with 5 automatic frying programs
- Move Mode - 3 Automatic Power Levels
- QuickStart - Quick and automatic first pot detection
- ReStart - Quickly reinstates previous settings
- Automatic pan recognition sensor
- PowerManagement Function
- Automatic safety switch-off
- Childproof lock
- WipeProtection
- Keep warm function - low setting for keeping food warm at the touch of a button
- Energy consumption display

Safety and Environment

- Digital 2-stage residual heat indicator for each cooking zone
- Childproof lock
- Automatic safety switch-off
- Integrated cooling fan

2 year warranty

Dimensions (WxD)

- Appliance measurements (H/W/D): 51 mm x 916 mm x 527 mm
- Installation dimensions: (H x W x D) 51 mm x 880 mm x 490 mm

Technical Information

- Total connected load: 11100 W
- Min. worktop thickness: 30 mm



* Minimum distance from the hob cut-out to the wall

** Recessed depth

*** With fitted oven underneath min. 30, possibly more; see space requirements for the oven

measurements in mm

