



EOS 200D Mark II

Learn how to take better photos with Canon's Guided Display mode and capture memories in motion with 4K movie shooting.



OUR MOST COMPACT AND EASY TO USE DSLR CAMERA

Packed with features, the EOS 200D Mark II is Canon's lightest DSLR camera. With simple to understand photo tips, the EOS 200D Mark II comes with Guided Display, Canon's inbuilt camera feature which helps you learn as you shoot.

Great for beginners

If you're unfamiliar with camera vocabulary, Guided Display will help you learn as you shoot; making photography as easy as 1-2-3. With easy-to-understand options, Guided Display won't bog you down with technical photography terms, but will teach you about the different shooting effects. Helping you to capture the shots you've always wanted.



4K movie magic

In addition to Full HD (60p or 30p - selectable) and HD (30p), you can create stunning 4K (@25p) movies and time lapses with the EOS 200D Mark II.

Shoot, connect and share

With the Canon Camera Connect App, you can instantly get social and share all your adventures from your EOS 200D Mark II via Wi-Fi and Bluetooth® as it allows for a constant connection with your smart phone. With the Canon Camera connect App, you can browse and download photos straight to your smart phone without having to take the camera from your bag after the initial connection.





EOS 200D Mark II

OUR MOST COMPACT AND EASY TO USE DSLR CAMERA



With easy-to-understand options, Guided Display mode won't bog you down with technical photography terms, but will teach you about the different shooting effects. Helping you to capture the shots you've always wanted.



Capture detailed and sharp images and video at night with the EOS 200D MII, thanks to it's smart autofocus and ISO 100 – 25.600.



Fast, powerful and innovative, Canon's advanced DiG!C 8 imaging processor commands cutting-edge technologies to deliver stunning quality, fast performance and intuitive operation.



Incredible image quality in all situations thanks to a large 24.1 megapixel CMOS sensor. This means better details; and clean crisp images, worthy to print for you wall.



Switch the camera to self-portrait mode and tilt the screen up 180 degrees to capture the perfect selfie. The camera will automatically set a 2 second self-timer to give you just enough time to triple check your smile.



Connect the EOS 200D MII with your smart phone using the Canon Camera Connect App. Bluetooth will help maintain a constant connection allowing you to browse and download photos instantly.



Find new angles high or low with the 3.0" Vari-angle Clear View LCD screen. Touch screen interface makes it easy and intuitive to change settings, select focus points and review images.



Built in High Dynamic Range mode captures stunning detail from shadows to highlights and a range of image effects can be added to enhance creative outputs.



Shoot multiple images quickly with 5 frames per second continuous shooting speed. You can freeze the action and capture that perfect moment.





Packed with features like timelapse movie and video snapshots, you will be sure to impress your friends and family with fun creative videos in 4K @25p.



Dual Pixel CMOS AF delivers fast and smooth AF as well as exceptional tracking performance when shooting in Live View and movie mode.



Lock onto your subject's eyes and track them as the move across your scene.





Technical Specifications


	Feature		200D MII
	Sensor size		APS-C
Image sensor	Effective pixels (Approx. megapixels)		24.1
Imaging processors	1	,	DIGIC 8
0 01	Image quality		L, M, S1, S2, RAW, C-RAW
Image recording	RAW+JPEG simultaneous recording		Yes (Any combination)
			DCF 2.0, Exif 2.31
	Image recording format		* Supports time difference
			information
IRACARding madia	SD card UHS-I compatibility		Yes
	SD card UHS speed class compatibility		Yes
	Peripheral illumination correction		Yes
	Chromatic aberration correction		Yes
Lens optical	Distortion correction		Yes
correction for	Diffraction correction		Yes
shooting	Digital Lens Optimizer		Yes
	Compatible with lenses having built-in correction data		Yes
Image processing	Highlight tone priority		Disable / Enable / Enhanced
Viafin des	Coverage (Approx. %) at a 3:2 aspect ratio		95
Viewfinder	Magnification (Approx. x)		0.87
AF for viewfinder	Number of AF points		9
shooting	f/2.8 AF points		1
(No. of AF points are max. values)	f/5.6 cross-type AF points		1
Creative Zone shoot	ing modes		P,Tv,Av,M
	Scene Intelligent Auto		Yes, Creative Assist supported
	Flash off		_
	Creative Auto		_
		Portrait	Yes
	Special scene modes	Smooth skin	Yes
		Landscape	Yes
		Close-up	Yes
Basic Zone shooting		Sports	Yes
modes		Group Photo	Yes
		Kids	Yes
		Food	Yes
		Candlelight	Yes
		Night Portrait	Yes
		Handheld Night Scene	Yes
		HDR Backlight Control	Yes
	Creative filters modes		Yes
Exposure control	Metering zones		63
	Shutter speed		1/4000 to 30 sec., Bulb X=1/200 sec.
	ISO speed (Expanded ISO speeds noted as "equivalent" to certain ISO speeds)		ISO 100 to 25600 H (ISO 51200)
Flash	Guide no. of built-in flash (at ISO 100, m, approx.) Flash coverage: Focal length (Approx.)		9.8 18 mm (35mm equivalent: Approx. 29 mm)
	Raising built-in flash		Manual * Flash button not included
	X-sync contact		_
	Continuous shooting speed		-
n :	(Max. approx. shots/sec.)		5.0
Drive	Maximum burst (Approx. shots) using		RAW: 10 Large/Fine: ∞
	UHS-I card		Large/rine: ∞





Technical Specifications

	Dual Pixel CMOS AF		Yes
	Contrast AF		_
	Continuous AF		Yes
	Servo AF		Yes
	Focusing area		88% horizontally and 100% vertical
	(Approx. relative to the shooting image Positions available for AF point select		Max. 3975
	Positions available for AF point selection		• Face+Tracking
Live View			• Spot AF
	AF method		• 1-point AF
shootingb			• Zone AF
	Eva Dataction AE		Yes (Face+Tracking)
	Eye Detection AF MF peaking		Yes
	Magnified display (Approx.)		5x / 10x
	Creative filters		Yes
	Creative Assist		Yes
			Yes
	Touch Shutter Self Portrait		Yes
	Image quality		4K @25p, FHD (60p or 30p), HD (30
	MOV recording		_
	MP4 recording		Yes (Including time-lapse movies)
	Compression method		IPB (Including time-lapse movies)
	Peripheral illumination correction / Cl		Yes / Yes
		M (Manual exposure)	Yes
		P, Av, Tv, (Program AE)	Yes
	Shooting mode	A+	Yes
		SCN (HDR movie)	Yes
		Creative filters	Yes
	ISO speed		4K: ISO 100 to 6400
	ISO speed (Expanded ISO speeds noted as "equivalent" to certain ISO speeds.)		FHD/HD: ISO 100 to 12800, H (ISO 25600)
	Movie Auto slow shutter		Yes
	Manual recording level adjustment		Yes
Movie recording	Sound-recording level meter		Yes
	Wind filter / Attenuator		Yes, Auto / Yes
	Built-in microphone		Stereo
	Time-lapse movie		Yes 4K / FHD
	Dual Pixel CMOS AF		Yes (except in 4K shooting)
	Contrast AF		Yes (in 4K shooting)
	Movie Servo AF		
	Movie Servo AF AF method		Yes
			Yes Face+Tracking, Spot AF, 1-point AF
	AF method		Yes Face+Tracking, Spot AF, 1-point AF Zone AF
	AF method Eye Detection AF		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes Yes
	AF method Eye Detection AF MF peaking		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes Yes * Movie Servo AF supported Yes * Not available with Movie digital
	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes Yes * Movie Servo AF supported Yes * Not available with Movie digital zoom
	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS Creative filters		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes Yes * Movie Servo AF supported Yes * Not available with Movie digital zoom Yes
mage processing	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS Creative filters Creative Assist		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes Yes * Movie Servo AF supported Yes * Not available with Movie digital zoom Yes Yes Yes
	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS Creative filters Creative Assist Red-eye correction		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes Yes * Movie Servo AF supported Yes * Not available with Movie digital zoom Yes Yes Yes Yes Yes
mage processing after shooting	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS Creative filters Creative Assist Red-eye correction Cropping		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes Yes * Movie Servo AF supported Yes * Not available with Movie digital zoom Yes Yes Yes Yes Yes Yes
	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS Creative filters Creative Assist Red-eye correction Cropping Resize		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes Yes * Movie Servo AF supported Yes * Not available with Movie digital zoom Yes Yes Yes Yes Yes Yes Yes Ye
	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS Creative filters Creative Assist Red-eye correction Cropping Resize Size / Dots (Approx.) / Aspect ratio		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes * Movie Servo AF supported Yes * Not available with Movie digital zoom Yes
	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS Creative filters Creative Assist Red-eye correction Cropping Resize Size / Dots (Approx.) / Aspect ratio Vari-angle		Yes Face+Tracking, Spot AF, 1-point AF Zone AF Yes (Face+Tracking) Yes * Movie Servo AF supported Yes * Not available with Movie digital zoom Yes
after shooting	AF method Eye Detection AF MF peaking Movie digital zoom Movie digital IS Creative filters Creative Assist Red-eye correction Cropping Resize Size / Dots (Approx.) / Aspect ratio		Yes Face+Tracking, Spot AF, 1-point A Zone AF Yes (Face+Tracking) Yes Yes * Movie Servo AF supported Yes * Not available with Movie digita zoom Yes Yes Yes Yes Yes Yes Yes Yes Yes 3.0 inch / 1.04 million / 3:2





Technical Specifications

	Connect to smartphone	Yes
	Operate remotely using EOS Utility	Yes
	Print images using a Wi-Fi printer	Yes
Wireless functions	View images using a media player	_
	Send images to a Web service	Yes
	NFC connection	_
	BLE	Yes
Customization features	Custom Functions	11
	Custom Controls	Yes (3 items within Custom Functions)
	My Menu (Max. tabs)	5
Camera controls	Display-off sensor	_
	AV± (Aperture value / Exposure compensation) button	Yes
	DISP button	Yes
22	Flash button	_
	Depth-of-field preview button	Yes (Customization of DISP button)
	Wi-Fi button	Yes (Customization of DISP button)
	USB terminal	Micro-B
	External microphone terminal	Yes
	Remote control terminal	Yes
External interface	HDMI terminal	Type C * HDR supported * CEC not supported
	LCD panel	_
L	Red-eye reduction / Self-timer lamp	_
Display	Wireless status	New icon display
	Languages	29
	Battery	LP-E17
Battery Pack	Battery information	 Model of power source 4-level display of remaining capacity Recharge performance
Number of possible shots (Approx. shots, at 23°C / 73°F)	Flash firing at 50%	1070
	Without flash	1630
GPS	GP-E2	Yes (Digital compass not supported)
	Geotagging images using smartphone information	Yes
Dimensions (Approx. W x H x D in mm / in., based on CIPA standards)		122.4 x 92.6 x 69.8 [mm] 4.82 x 3.65 x 2.75 [in.]
Weight	Including battery and card	449g
(Approx. g / oz.)	Body only	402g



