

RF-S 18-150mm f3.5-6.3 IS STM

TECHNICAL SPECIFICATIONS



Canon

RF-S 18-150mm f3.5-6.3 IS STM

Standard Everyday Zoom lens for EOS R APS-C Cameras



Your Everyday Compact Zoom Lens

The RF-S 18-150mm f/3.5-6.3 IS STM lens brings your everyday zoom lens needs to your APS-C EOS R Series cameras. From shooting wide angle landscapes to portraits or sport, the versatility of the lens will allow you to shoot in most scenarios.



Centre Focus Macro Enabled

The RF-S 18-150mm f/3.5-6.3 IS STM is equipped with a Centre Focus Macro function, that allows you to shoot even closer while using Manual Focus. When zoom is set between 18mm and 24mm, you can focus from distance of only 12cm, a magnification of 0.59x.



Stable images even with handheld shooting

Get up to 4.5 stops of Image Stabilisation in lens, and up to 7.0 stops with coordinated control Image Stabilisation when attached to a compatible R Series camera. This will assist with any camera shake and image blur when shooting handheld in low light situations.



Fast and quiet autofocus

The RF-S 18-150mm f/3.5-6.3 IS STM is equipped with a lead-screw type stepping motor (STM) to allow for smooth and quiet drive action, making it a great option for creating video content.



Canon

RF-S 18-150mm f3.5-6.3 IS STM | SPECIFICATIONS

RF-S 18-150mm f3.5-6.3 IS STM	
Mount	RF-S
Focal Length	18-150mm (equivalent to 29-240mm in 35mm format)
Maximum Aperture	f/3.5-6.3
Minimum Focusing Distance	Using AF: 0.17m @ 18-35mm Using MF: 0.12m @ 18-35mm
Maximum Magnification	Using AF: 0.44x @ 50mm Using MF: 0.59x @ 35mm
Lens Construction	17 elements in 13 groups
Filter Size Diameter	55mm
Aperture Blades	7
Image Stabilization	Up to 4.5 stops in lens, Up to 7.0 stops coordinated control
Dimensions	Approx. 84.5mm x 69.0mm
Weight	Approx. 310g
Lens Hood	EW-60F (not included)
Lens Cap	E-55 (included)
Lens Pouch	LP1016 (not included)

Canon

www.canon.com.au