

A smiling man in a white t-shirt with tomatoes on it, holding a colander with a tomato.

**CHEF**

# **KITCHEN APPLIANCES MADE EASY.**

2018

**NEW EASY FEATURES INSIDE!**



# EASY LIVING

---

## **More time for living? Easy.**

Chef has a range of easy to use appliances that do the hard work for you – freeing you up to do the things you really enjoy. There are no unnecessary functions, just modern design, and features that matter. Simple. Making life easier is our passion, something we have been doing for over 70 years.

## **EASY**

<b>BUILT-IN OVENS</b>	<b>06</b>
<b>COOKTOPS</b>	<b>10</b>
<b>RANGEHOODS</b>	<b>14</b>
<b>FREESTANDING COOKERS</b>	<b>16</b>
<b>LIKE TO KNOW MORE?</b>	<b>24</b>

# EVERYDAY SMART APPLIANCES? **EASY.**



At Chef, we make cooking appliances designed to free up the time you spend in the kitchen.

## **Easy choices**

They come with all the useful features you need, are efficient without being fussy, and add style.

## **Easy use**

The appliances in the Chef range are simple to use, easy to maintain and above all, will help make time spent in the kitchen more enjoyable.

# 4 EASY TIPS FOR CHOOSING YOUR OVEN.

These 4 easy tips should help you find the oven that suits your kitchen, your food and the way you like to cook.

The Chef 80L\* built-in ovens are large enough to meet all your cooking needs, whether it's the Sunday roast, a large lasagne or baking for friends and family.

Chef's latest ovens also have an innovative air-cooled door to reduce the surface temperature of the glass.

**The range of Chef cooking appliances has all the features you need in a design that you'll love.**

# 1

## WHAT SIZE DO YOU NEED?

---



Just measure the space you've got available in your kitchen to see whether a single, separate grill or duo oven is the best fit.

The main difference between sizes is their height (single = 600mm tall; separate grill and duo = 893mm) and capacity – their depths and widths are pretty much the same.

# 2

## WHERE WILL THE OVEN GO?

---



You've got 2 basic choices for the position of your 600mm oven: built-in to a cabinet above waist height or built-under a worktop below waist height.

# 3

## EASY CLEANING?

---



If cleaning isn't your thing, choose an easy cleaning pyrolytic oven.

Selected top range models use a high temperature pyrolytic system which turns dirt into ash that you simply wipe away – apart from the cloth for wiping away the ash, no cleaning products are needed.

# 4

## HOW DO YOU COOK YOUR FOOD?

---



If you do a lot of grilling, choose an oven with a separate grill to get more space and flexibility.

If you're into baking or want speedy oven cooking, fan ovens not only cook more evenly, but heat up quicker.

Like grilling, roasting and baking? No problem. Choose a multifunction oven and you can cook whichever way you want.

\*gross capacity

# BUILT-IN OVENS



**CVE602SA\***



**CVE612WA/SA**



**CVE614WA/SA**

oven fuel	electric	electric	electric
oven type	60cm single oven	60cm single oven	60cm single oven
finish	white/stainless steel	white/stainless steel	white/stainless steel
gross capacity (L)	80	80	80
usable capacity (L)	78	70	70

## MAIN OVEN/S

type	multi function 3	multi function 3	multi function 5
grill	electric in oven	electric in oven	electric in oven
timer	120 minute	120 minute	programmable
lights	1	1	1
pyrolytic cleaning			

## GENERAL FEATURES

door glass layers	2	2	2
easy clean formed shelf supports		✓	✓

## ACCESSORIES

number of shelves	2	2	2
grill/oven pan	✓	✓	✓
grill insert	wire	wire	wire
telescopic slide	1		
pizza stone			

## DIMENSIONS†

product (h x w x d) mm	597 x 596 x 573	597 x 596 x 573	597 x 596 x 573
cut-out flush (h x w x d) mm	600 x 600 x 581	600 x 600 x 581	600 x 600 x 581

\* This product is exclusive to selected retail stores. For more information and participating stores visit [chefappliances.com.au](http://chefappliances.com.au)  
 † Refer to product information details on page 24.



**CVEP604SA\***



**CVEP614SA**



**CVE662WA/SA**



**CVE624SA**

oven fuel	electric	electric	electric	electric
oven type	60cm single oven	60cm single oven	60cm separate grill wall oven	60cm duo wall oven with pizza mode
finish	stainless steel	stainless steel	white/stainless steel	stainless steel
gross capacity (L)	80	80	80	80/46
usable capacity (L)	72	70	70	72/38

type	multi function 7	multi function 7	fan forced	fan forced/conventional
grill	electric in oven	electric in oven	electric in oven	electric in oven
timer	programmable	programmable	120 minute timer	programmable
lights	1	1	1	1/1
pyrolytic cleaning	✓	✓		

door glass layers	4	4	2/2	3/3
-------------------	---	---	-----	-----

easy clean formed shelf supports		✓	✓	
----------------------------------	--	---	---	--

number of shelves	2	2	2	2/1
grill/oven pan	✓	✓	✓	✓
grill insert	wire	wire	wire	wire
telescopic slide	1			
pizza stone				✓

product (h x w x d) mm	597 x 596 x 573	597 x 596 x 573	888 x 596 x 573	888 x 596 x 573
cut-out flush (h x w x d) mm	600 x 600 x 581	600 x 600 x 581	893 x 600 x 581	893 x 600 x 581

# COOKTOPS MADE EASY.

If you want straightforward solutions, choose from the range of Chef gas, ceramic or electric hobs.


All surfaces are easy to clean and can be installed into a bench top above the oven or almost anywhere in the kitchen.

Now with a better fit, feel and finish than ever before, Chef built-in cooktops are your key to great food.



## EASILY INSTALLED GAS COOKTOPS

Models with battery ignition to the hob means that no electrical connection is required making installation easy and fuss-free.



## PRECISE HIGH SPEED COOKING

The induction cooktop provides modern, precise and high speed cooking.

Induction works by coils under the surface of the cooktop creating an electro magnetic field, which conducts energy into the cookware. The cookware then becomes the generator of heat and the cooktop surface remains relatively cool. This makes for an easy to control energy efficient yet stylish solution.



### SIDE CONTROLS

Stepped controls on the side of the cooktop make it easy to determine the heat needed for great cooking results.

### EASY CLEAN CERAMIC

Not only does it look great, the durable glass surface on Chef ceramic cooktops are easy to clean, ensuring your kitchen is always looking its best.

### EASY TO USE

Moving pots and pans around on the Chef cooktops is made easy with the flat trivets on gas models.

# GAS COOKTOPS



CHG956WB/SB

CHG646WB/SB

CHG606SB\*

CHG642WB/SB

nominal width (mm)	900	600	600	600
finish	white enamel/ stainless steel	white enamel/ stainless steel	stainless steel	white enamel/ stainless steel
burners	5	4	4	4
left front	triple-ring wok (14.2MJ/h)	triple-ring wok (14.2MJ/h)	triple-ring wok (14.2MJ/h)	rapid (12.1MJ/h)
left rear	simmer (5.1MJ/h)	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)	semi-rapid (9.0MJ/h)
centre	semi-rapid (9.0MJ/h)			
right front	semi-rapid (9.0MJ/h)	simmer (5.1MJ/h)	simmer (5.1MJ/h)	simmer (5.1MJ/h)
right rear	rapid (12.1MJ/h)	semi-rapid (9.0MJ/h)	rapid (12.1MJ/h)	semi-rapid (9.0MJ/h)
controls	knob	knob	knob	knob
trivets	mat enamel	mat enamel	mat enamel	enamel
ignition type	electronic	electronic	electronic	battery
flame failure safety	✓	✓	✓	✓
<b>DIMENSIONS†</b>				
product (w x d x h) mm	860 x 510 x 55	600 x 535 x 58	600 x 535 x 58	600 x 535 x 58
cut-out (w x d) mm	830 x 470	570 x 490	570 x 490	570 x 490

\* This product is exclusive to selected retail stores. For more information and participating stores visit [chefappliances.com.au](http://chefappliances.com.au)  
† Refer to product information details on page 24.

# ELECTRIC COOKTOPS

## INDUCTION



CHI643BA



CHI743BA\*

type	induction	induction
nominal width (mm)	600	700
finish	trimless black	trimless black
elements	4 zone	4 zone
left front	2300W/3200W	2300W/3200W
left rear	1400W/2500W	1400W/2500W
right front	1400W/2500W	1400W/2500W
right rear	1800W/2500W	1800W/2500W
controls	electronic touch	electronic touch
hot surface indicator	✓	✓
<b>DIMENSIONS†</b>		
product (w x d x h) mm	590 x 520 x 46	700 x 520 x 46
cut-out (w x d) mm	560 x 490	560 x 490

## CERAMIC



CHC645BA




CHC745BA\*

type	ceramic	ceramic
nominal width (mm)	600	700
finish	trimless black ceramic glass	trimless black ceramic glass
elements	4 zone	4 zone
left front	2300W	2300W
left rear	1200W	1200W
right front	1200W	1200W
right rear	1800W	1800W
controls	electronic touch	electronic touch
hot surface indicator	✓	✓
<b>DIMENSIONS†</b>		
product (w x d x h) mm	590 x 520 x 55	700 x 520 x 55
cut-out (w x d) mm	560 x 490	560 x 490

## SOLID ELEMENT



CHS642WA/SA



CHS942WA

type	solid element	solid element
nominal width (mm)	600	900
finish	white enamel/stainless steel	white enamel
elements	4 x solid	4 x solid
left front	1500W	1500W
left rear	2000W	1500W
right front	1500W	1500W
right rear	1500W	2000W
controls	knob	knob
hot surface indicator		
<b>DIMENSIONS†</b>		
product (w x d x h) mm	600 x 535 x 59	870 x 406 x 117
cut-out (w x d) mm	570 x 490	825 x 362



CHC644BA



CHC744BA\*



CHC944BA

type	ceramic	ceramic	ceramic
nominal width (mm)	600	700	900
finish	trimless black ceramic glass	trimless black ceramic glass	trimless black ceramic glass
elements	4 x ribbon	4 x ribbon	4 x ribbon
left front	1800W	1800W	1800W
left rear	1200W	1200W	2300W
right front	1200W	1200W	1800W
right rear	1800W	1800W	1200W
controls	knob	knob	knob
hot surface indicator	✓	✓	✓
<b>DIMENSIONS†</b>			
product (w x d x h) mm	610 x 515 x 46	700 x 515 x 46	930 x 520 x 46
cut-out (w x d) mm	560 x 490	560 x 490	880 x 490

\* This product is exclusive to selected retail stores. For more information and participating stores visit [chefappliances.com.au](http://chefappliances.com.au)  
 † Refer to product information details on page 24.

# RANGEHOODS MADE EASY.

Even the best recipes can produce unwanted odours and greasy steam during cooking. Our rangehoods will help keep your kitchen fresher and cleaner and we offer three different styles; canopy, slide out or fixed. You can choose what looks and functions best in your kitchen.



## EASY TO MAINTAIN

Filters are easy to remove and can be washed in the dishwasher.<sup>^</sup>



## ODOUR FREE CARBON FILTERS

Carbon filters give the extra odour filtration required when ducted installation is not an option for your kitchen. (Additional extra)



## INSTALLATION FLEXIBILITY

Slide out rangehoods are designed to blend into your kitchen cabinetry. For a truly seamless look you can replace the front fascia\* with a custom made one that matches your cupboards.

### Venting kit not included

Venting or recirculating kits are required for installation. Ask instore for more information.

<sup>^</sup> 900mm slide out filter will not fit into a standard dishwasher.

\* Supplied by your kitchen installer or cabinet maker.



CG950CGS



CG920FGS



CS910CS



CS902S

type	canopy	canopy	canopy	canopy
nominal width (mm) <sup>†</sup>	900	900	900	900
finish	glass & stainless steel	glass & stainless steel	stainless steel	stainless steel
number of fans/speeds	2/3	2/3	2/3	2/3
max. airflow	750m <sup>3</sup> /h	750m <sup>3</sup> /h	750m <sup>3</sup> /h	550m <sup>3</sup> /h
noise level high/low dB(A)	71/61	71/61	71/61	55/48
no. of filters	1	1	1	2
controls	push button	push button	push button	slide
lighting	2 x 40W halogen	2 x 40W halogen	2 x 40W halogen	2 x 40W incandescent
top or rear duct hole	top	top	top	top
<b>DIMENSIONS<sup>†</sup></b>				
body (w x d x h) mm	900 x 500 x 1140	900 x 500 x 1140	900 x 500 x 1140	900 x 500 x 1240



CS602S



REHR6W/S



CRF610WA/SA



RFD902W/S

type	canopy	slideout	fixed	fixed
nominal width (mm) <sup>†</sup>	600	600	600	900
finish	stainless steel	white/stainless steel	white/stainless steel	white/stainless steel
number of fans/speeds	2/3	1/2	1/3	1/3
max. airflow	550m <sup>3</sup> /h	210m <sup>3</sup> /h	200m <sup>3</sup> /h	200m <sup>3</sup> /h
noise level high/low dB(A)	55/48	62/55	63/51	59/55
no. of filters	2	1	2	3
controls	slide	auto activated push-pull	slide	slide
lighting	2 x 40W incandescent	1 x 28W halogen	2 x 28W halogen	2 x 40W incandescent
top or rear duct hole	top	top	top and rear	top and rear
<b>DIMENSIONS<sup>†</sup></b>				
body (w x d x h) mm	900 x 500 x 1240	600 x 300 x 175	598 x 500 x 160	900 x 500 x 160

<sup>†</sup> Refer to Product information details on page 24.

# FREESTANDING COOKERS MADE EASY.

When it comes to modern styling, supreme durability and safety features, Chef's range of freestanding cookers is the perfect choice for your kitchen. With a class-leading 80L gross oven capacity, you'll enjoy cooking for any occasion. Plus, our innovative anti-tilt technology provides the ultimate cooker

stability, while seamless easy-clean features save you precious time.

Proudly Australian designed to complement any kitchen, Chef freestanding cookers are available in electric or gas with everything you need to make cooking a breeze.



## CLASS-LEADING CAPACITY

With a 80L gross oven capacity, Chef freestanding cookers have one of the largest cavities in their class. And that means you can entertain guests and cook big family meals with absolute ease.



## COOL GLASS DOOR

Designed with a cooler surface temperature, the oven door provides peace of mind with a special thermal coating for added safety.

(Grill in oven models only.)



## HANDY SEPARATE GRILL

Now you can grill and bake at the same time while keeping different cooking flavours and smells apart.



## EASY-CLEAN CONVENIENCE

Save time and elbow grease with specially formed shelf supports and acid-resistant enamel. Plus, the removable glass door system allows for quick and easy cleaning and no trapped grease. With a Chef freestanding cooker, a simple wipe clean is all you need.



## MODERN STAINLESS STEEL

Enhance the look of your kitchen with a Chef freestanding cooker. Now available in a stylish stainless steel finish, you can enjoy a sleek built-in oven aesthetic with full glass doors and a grill in the oven.



## COOKTOP OPTIONS

Choose from our practical range of electric cooktops with standout features like easy-clean solid or sleek, flat ceramic hobs. Selected gas models also include a wok burner, which is perfect for stir-fry lovers.

# FREESTANDING COOKERS GAS



CFG503WB



CFG504WB

540mm wide  
gas freestanding

	CFG503WB	CFG504WB
width (mm)	540	540
available finishes	white	white
oven type	gas	gas
grill type	separate gas grill	electric grill in oven
closed door grilling		✓
<b>HOB</b>		
type	gas	gas
number of burners	4	4
left front	12.1 MJ/h	12.1 MJ/h
left rear	9.0 MJ/h	9.0 MJ/h
right front	5.1 MJ/h	5.1 MJ/h
right rear	9.0 MJ/h	9.0 MJ/h
hob ignition	manual	electronic
trivets	enamel	enamel
flame failure safety	✓	✓
<b>MAIN OVEN</b>		
type	conventional	conventional
capacity		
- gross (litres)	80	80
- usable (litres)	77	72
timer		60 min
oven light		✓
oven/grill ignition	piezo	electronic
shelf support	formed runners	formed runners
<b>ACCESSORIES</b>		
number of shelves	2	2
grill dish	✓	✓
grill insert	✓	✓
<b>DIMENSIONS†</b>		
overall (h x w x d) mm	910 x 540 x 635	910 x 540 x 635
overall height including splashback (mm)	1045	1045
<b>CONNECTION</b>		
type		10A plug
maximum gas rating (kW)	58.1	47

† Refer to product information details on page 24. Height is to hob, depth does not include handles or knobs.



CFG504SB



CFG517WB



CFG517SB

	CFG504SB	CFG517WB	CFG517SB
width (mm)	540	540	540
available finishes	stainless steel	white	stainless steel
oven type	gas	gas	gas
grill type	electric grill in oven	separate electric grill	separate electric grill
closed door grilling	✓		
<b>HOB</b>			
type	gas	gas	gas
number of burners	4	4 (including wok)	4 (including wok)
left front	12.1 MJ/h	14.2 MJ/h (wok)	14.2 MJ/h (wok)
left rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
right front	5.1 MJ/h	5.1 MJ/h	5.1 MJ/h
right rear	9.0 MJ/h	9.0 MJ/h	9.0 MJ/h
hob ignition	electronic	electronic	electronic
trivets	enamel	enamel	enamel
flame failure safety	✓	✓	✓
<b>MAIN OVEN</b>			
type	conventional	fan	fan
capacity			
- gross (litres)	80	80	80
- usable (litres)	72	72	72
timer	60 min	60 min	60 min
oven light	✓	✓	✓
oven/grill ignition	electronic	electronic	electronic
shelf support	formed runners	formed runners	formed runners
<b>ACCESSORIES</b>			
number of shelves	2	2	2
grill dish	✓	✓	✓
grill insert	✓	✓	✓
<b>DIMENSIONS†</b>			
overall (h x w x d) mm	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635
overall height including splashback (mm)	976	1045	976
<b>CONNECTION</b>			
type	10A plug	10A plug	10A plug
maximum gas rating (kW)	47	49.1	49.1

# FREESTANDING COOKERS ELECTRIC



540mm wide  
electric freestanding

CFE532WB

CFE535WB

CFE536WB

width (mm)	540	540	540
available finishes	white	white	white
oven type	electric	electric	electric
grill type	electric grill in oven	separate electric grill	electric grill in oven
closed door grilling	✓		✓
<b>HOB</b>			
type	solid	solid	solid
number of zones	4	4	4
left front	1000W	1500W	1000W
left rear	2000W	2000W	2000W
right front	1500W	1500W	1500W
right rear	1000W	1000W	1000W
flame failure safety			
<b>MAIN OVEN</b>			
type	conventional	conventional	fan forced
capacity			
- gross (litres)	80	80	80
- usable (litres)	73	79	68
timer		60 min	60 min
oven light		✓	✓
shelf support	formed runners	formed runners	formed runners
<b>ACCESSORIES</b>			
number of shelves	2	2	2
grill dish	✓	✓	✓
grill insert	✓	✓	✓
<b>DIMENSIONS†</b>			
overall (h x w x d) mm	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635
overall height including splashback (mm)	1045	1045	1045
<b>CONNECTION</b>			
type	hardwire	hardwire	hardwire
maximum power rating (kW)	7.7	9.5	7.7

† Refer to product Information details on page 24. Height is to hob, depth does not include handles or knobs.



CFE536SB

CFE537WB

CFE547WB

CFE547SB

width (mm)	540	540	540	540
available finishes	stainless steel	white	white	stainless steel
oven type	electric	electric	electric	electric
grill type	electric grill in oven	separate electric grill	separate electric grill	separate electric grill
closed door grilling	✓			
<b>HOB</b>				
type	solid	solid	ceramic	ceramic
number of zones	4	4	4	4
left front	1000W	1500W	1200W	1200W
left rear	2000W	2000W	2000W	2000W
right front	1500W	1500W	1200W	1200W
right rear	1000W	1000W	1200W	1200W
flame failure safety				
<b>MAIN OVEN</b>				
type	fan forced	fan forced	fan forced	fan forced
capacity				
- gross (litres)	80	80	80	80
- usable (litres)	68	74	74	74
timer	60 min	60 min	60 min	60 min
oven light	✓	✓	✓	✓
shelf support	formed runners	formed runners	formed runners	formed runners
<b>ACCESSORIES</b>				
number of shelves	2	2	2	2
grill dish	✓	✓	✓	✓
grill insert	✓	✓	✓	✓
<b>DIMENSIONS†</b>				
overall (h x w x d) mm	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635	910 x 540 x 635
overall height including splashback (mm)	1045	1045	1045	1045
<b>CONNECTION</b>				
type	hardwire	hardwire	hardwire	hardwire
maximum power rating (kW)	7.7	9.5	9.5	9.5



**WE'RE ALL  
ABOUT  
MAKING  
LIFE  
EASY.**

Models pictured: CFG517SB freestanding gas cooker, REHR6S slideout rangehood.

**CHEF**

# LIKE TO KNOW MORE? EASY.

If you'd like further information about Chef cooking appliances or need detailed dimension and installation information, simply drop into your retailer, visit our website or phone or email our Customer Care team.

phone 1300 363 640  
fax 1800 350 067  
email [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)  
web [chefappliances.com.au](http://chefappliances.com.au)

## TOP SERVICE

Top Service encompasses the after sales service provided by The Electrolux Group to consumers including delivery, home service and spare parts.

### Warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

### † Product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is provided on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow and may vary slightly.

