

Swedish thinking. Better living

Dishwasher Range

Lift your
expectations



Electrolux



A kitchen that knows what matters.

At Electrolux, our philosophy is simple: life in the kitchen should be seamless and intuitive.

That's why we've developed a new range with smart, sustainable features and clean lines for an effortless experience. So, you can concentrate on the things that make you happy: making and sharing great food with the people you love.

Swedish intuition. Better comfort.

Dishwashing

No tea towels needed

Our intuitive AirDry technology automatically opens the door 10cm towards the end of the cycle which ensures natural drying without wasting energy. So the dishes are ready when you are.

Room for creativity

Don't be afraid to give your culinary ambitions free rein. Our dishwashers are designed to take large, odd shaped items like pots and pans and the intuitive FlexiSpray arm ensures water reaches all parts of the tub, so they come out sparkling.

The right wash. Every time

No matter how dirty your dishes, your dishwasher has the appropriate cycle to make them sparkle again. A Quick 30 is ideal for a load of just-used plates and pans.

Gentle on glassware, rigid on pots

FlexiWash cleans fragile glassware in your upper basket with more heavily soiled items in the lower basket.

Low noise, no fuss

Your dishwasher might be busy with a load, but it won't make a big noise about it. So you can turn it on any time of the day or night - whenever works for you.

Clean machines

Our range of quiet, fuss-free dishwashers offer superb results - sparkling dishes, ergonomic stacking and swift cycles, keeping your favourite dishware beautifully clean.



TripleWash

The right wash. Every time. No matter how dirty your dishes, your Electrolux dishwasher has the appropriate cycle to make them sparkle again. A Quick 30 is ideal for a load of just-used plates and pans or use the intensive Triple Wash for a deep clean.

DirectWash

DirectWash offers the most precise targeted cleaning, giving bottles and glasses on the top rack a thorough wash, or tackling the pots and pans below for extra attention.

SteamWash technology

Steam wash softens the most stubborn stains with the power of steam. Directly applied high temperature steam ensure perfect hygiene and gentle cleaning for your sensitive dishes.

ComfortLift®

Need a lift?

As gentle on you as on your dishes, the world's first ComfortLift® raises your dishwasher's lower basket to a comfortable height making it effortless to load and unload. It then descends in a gentle motion to ensure your dishes are always cared for.


*ESF8735RKX & ESF8735ROX models only



Lift the basket
The basket rises smoothly to make loading and unloading effortless



Release the basket
Lift and hold the trigger to gently release the basket



Lower the Basket
Push the basket down smoothly





Built-under dishwasher with ComfortLift®

ESF8735RKX

60cm built-under dark stainless steel dishwasher with ComfortLift®, AirDry technology, light beam on floor indicator and 14 place settings.

Technical info

Product dimensions

818-878H x 596W x 575D (mm)

Features

- ComfortLift® bottom basket
- AirDry technology
- FlexiWash - two washes in one
- Quiet Inverter system 44dB(A) noise level
- 30 minutes QuickPlus at 60°C
- Flexible cutlery drawer, suitable for washing large baking dishes
- SoftGrip and SoftSpike glass supports
- FlexiBasket system
- Electronic control with LED display
- Take control with TimeManager
- Intelligent AutoFlex program
- Eco program
- XtraDry option
- MyFavourite option
- Delay Start: 1-24 hours
- Auto off
- Light Beam on floor indicator
- Aqua Control anti-flood protection
- Mark resistant dark stainless steel

Built-under dishwasher with ComfortLift®

ESF8735ROX

60cm built-under stainless steel dishwasher with ComfortLift®, AirDry technology, light beam on floor indicator and 14 place settings.



Technical info

Product dimensions

818-878H x 596W x 575D (mm)

Features

- ComfortLift® bottom basket
- AirDry technology
- FlexiWash - two washes in one
- Quiet Inverter system 44dB(A) noise level
- 30 minutes QuickPlus at 60°C
- Flexible cutlery drawer, suitable for washing large baking dishes
- SoftGrip and SoftSpike glass supports
- FlexiBasket system
- Electronic control with LED display
- Take control with TimeManager
- Intelligent AutoFlex program
- Eco program
- XtraDry option
- MyFavourite option
- Delay Start: 1-24 hours
- Auto off
- Light Beam on floor indicator
- Aqua Control anti-flood protection
- Mark resistant stainless steel

Fully-integrated dishwasher

ESL8530RO

60cm fully integrated dishwasher with 15 place settings.



Technical info

Product dimensions

818-898H x 596W x 550D (mm)

Features

- AirDry technology
- FlexiWash - two washes in one
- Quiet Inverter system 44dB(A) noise level
- 30 minutes QuickPlus at 60°C
- Flexible cutlery drawer, suitable for washing large baking dishes
- SoftGrip and SoftSpike glass supports
- FlexiBasket system
- Electronic control with LED display
- Take control with TimeManager
- Intelligent AutoFlex program
- Eco program
- XtraDry option
- MyFavourite option
- Delay Start: 1-24 hours
- Auto off
- LightBeam on floor indicator
- Aqua Control anti-flood protection
- Door requires your cabinetry fitted



Built-under dishwasher

ESF8725RKX

60cm built-under dark stainless steel dishwasher with AirDry technology, light beam on floor indicator and 15 place settings.

Technical info

Product dimensions

818-878H x 596W x 575D (mm)

Features

- AirDry technology
- FlexiWash - two washes in one
- Quiet Inverter system 44dB(A) noise level
- 30 minutes QuickPlus at 60°C
- Flexible cutlery drawer, suitable for washing large baking dishes
- SoftGrip and SoftSpike glass supports
- FlexiBasket system
- Electronic control with LED display
- Take control with TimeManager
- Intelligent AutoFlex program
- Eco program
- XtraDry option
- MyFavourite option
- Delay Start: 1-24 hours
- Auto off
- Light Beam on floor indicator
- Aqua Control anti-flood protection
- Mark resistant dark stainless steel

Freestanding dishwasher

ESF6768KXA

60cm freestanding dark stainless steel dishwasher with SteamWash technology and 15 place settings.



Technical info

Product dimensions

*820-870H x 598W x 598D (mm)

*worktop removed

Features

- Colour TFT Display
- AirDry technology
- Quiet Inverter system 44dB(A)
- Flexible cutlery drawer
- Extra Fast option
- Child lock option
- Extra hygiene option
- XtraDry option
- Extra silent option (42dB)
- Extra fast option
- Half load option (with 3 modes)
- TripleWash & DirectWash options
- Prewash / Fast Mini 14'
- Quick 30 minutes at 40°C
- Eco 50°C program
- Super 50 minute at 65°C
- FlexiWash 60° program
- SteamWash
- AutoFlex programs (delicate/normal/intense)
- Delay Start: 1-24 hours

Freestanding dishwasher

ESF6767KXA

60cm freestanding dark stainless steel dishwasher with TripleWash technology and 15 place settings.



Technical info

Product dimensions

*820-870H x 598W x 598D (mm)

*worktop removed

Features

- White LCD Display
- FanDry technology
- Quiet Inverter system 44dB(A)
- Flexible cutlery drawer
- Extra Fast option
- Child lock option
- Extra hygiene option
- XtraDry option
- Extra silent option (42dB)
- Extra fast option
- Half load option (with 3 modes)
- TripleWash & DirectWash options
- Prewash / Fast Mini 14'
- Quick 30' at 40°C
- Eco 50°C program
- Super 50' at 65°C
- Daily 60°C
- FlexiWash 60°C program
- AutoFlex programs (delicate/normal/intense)
- Delay Start: 1-24 hours



ESF8735RKX
Built-under dishwasher with ComfortLift®

Main features	
Type	60cm Built-Under
Door	Mark resistant dark stainless steel
Control & display type	Full touch with LED display
Display	LightBeam on floor
Water safety system	Aqua control and anti-flood
Inverter motor system	■
Auto off	■
Performance	
Place settings	14
RealLife XXL wash system	■
FlexiSpray arm	■
5 spray levels	■
AirDry	■
WELS water star rating	4.5
Water consumption (litres)	12.5
Energy star rating	3
Energy consumption (kWh/year)	287
Operation noise level dB(A)	44
Wash programs	
Number of programs	7
AutoFlex 45°C-70°C	■
FlexiWash 50°C-65°C	■
Eco 50°C with pre-rinse	■
QuickPlus 60°C (30 minutes)	■
GlassCare 45°C	■
Intensive 70°C	■
Rinse & Hold	■
Wash options	
TimeManager	■
Extra Hygiene	■
XtraDry	■
MyFavourite	■
Delay start	1-24 hours
Internal features	
Tub material	Stainless steel
ComfortLift basket	■
FlexiLift adjustable upper basket	■
Foldable cup shelves & plate rack	■
SoftGrips & SoftSpike for glass ware	■
Foldable lower plate racks	■
Cutlery drawer	■
Technical specifications	
Sliding hinges for integrated fit	
Levelling/adjustable height, mm	0-30
Water inlet	Cold or hot (up to 60°C)
Dimension (H x W x D), mm	820-880 x 596 x 570



ESF8735ROX
Built-under dishwasher with ComfortLift®

Main features		
Type	60cm Built-Under	60cm Fully integrated
Door	Mark-resistant stainless steel	Your cabinetry
Control & display type	Full touch with LED display	Full touch button with LED display
Display	LightBeam on floor	LightBeam on floor
Water safety system	Aqua control and anti-flood	Aqua control and anti-flood
Inverter motor system	■	■
Auto off	■	■
Performance		
Place settings	14	15
RealLife XXL wash system	■	■
FlexiSpray arm	■	■
5 spray levels	■	■
AirDry	■	■
WELS water star rating	4.5	4.5
Water consumption (litres)	12.5	13.4
Energy star rating	3	3.5
Energy consumption (kWh/year)	287	286
Operation noise level dB(A)	44	44
Wash programs		
Number of programs	7	7
AutoFlex 45°C-70°C	■	■
FlexiWash 50°C-65°C	■	■
Eco 50°C with pre-rinse	■	■
QuickPlus 60°C (30 minutes)	■	■
GlassCare 45°C	■	■
Intensive 70°C	■	■
Rinse & Hold	■	■
Wash options		
TimeManager	■	■
Extra Hygiene	■	■
XtraDry	■	■
MyFavourite	■	■
Delay start	1-24 hours	1-24 hours
Internal features		
Tub material	Stainless steel	Stainless steel
ComfortLift basket	■	■
FlexiLift adjustable upper basket	■	■
Foldable cup shelves & plate rack	■	■
SoftGrips & SoftSpike for glass ware	■	■
Foldable lower plate racks	■	■
Cutlery drawer	■	■
Technical specifications		
Sliding hinges for integrated fit		■
Levelling/adjustable height, mm	0-30	0-80
Water inlet	Cold or hot (up to 60°C)	Cold or hot (up to 60°C)
Dimension (H x W x D), mm	820-880 x 596 x 570	820-900 x 596 x 570



ESL8530RO
Fully-integrated dishwasher



ESF8725RKX
Built-under dishwasher

Main features	
Type	60cm built-under
Door	Mark resistant dark stainless steel
Control & Display type	Full touch with LED display
Display	LightBeam on floor
Water Safety System	Aqua control and anti-flood
Inverter Motor System	■
Auto off	■
Performance	
Place settings	15
RealLife XXL wash system	■
Main spray arm	FlexiSpray arm
Spray levels	5
AirDry	■
WELS water star rating	4.5
Water consumption (litres)	12.5
Energy star rating	3
Energy consumption (kWh/year)	287
Operation noise level dB(A)	44
Wash programs	
Number of programs	7
AutoFlex wash (auto sensing)	Yes 45°C-70°C
FlexiWash	■
Eco 50°C	■
Quick 30 (min)	■
GlassCare 45°C / Mini 14'	GlassCare 45°C
Intensive 70°C / Super 50' 65 °C	Intensive 70°C
Rinse & Hold / Pre wash	Rinse & Hold
Steam wash / Daily 60 (min)	
Wash options	
TimeManager / Half Load	TimeManager
Extra Hygiene	■
XtraDry	■
MyFavourite / Extra Silent	MyFavourite
Delay start	1-24 hours
Internal features	
Tub material	Stainless steel
FlexiLift adjustable upper basket	■
Foldable cup shelves & plate rack	■
SoftGrips & SoftSpike for glass ware	■
Foldable lower plate racks	■
Cutlery drawer	■
Technical specifications	
Sliding hinges for integrated fit	
Levelling/adjustable height, mm	0-30
Water inlet	Cold or hot (up to 60°C)
Dimension (H x W x D), mm	820-880 x 596 x 575



ESF6768KXA
Freestanding dishwasher

Main features		Main features	
Type	60cm freestanding	Type	60cm freestanding
Door	Mark resistant dark stainless steel	Door	Mark resistant dark stainless steel
Control & Display type	Full touch with colour display	Control & Display type	Full touch with white LCD display
Display	Front panel	Display	Front panel
Water Safety System	Aqua control and anti-flood	Water Safety System	Aqua control and anti-flood
Inverter Motor System	■	Inverter Motor System	■
Auto off	■	Auto off	■
Performance		Performance	
Place settings	15	Place settings	15
RealLife XXL wash system	■	RealLife XXL wash system	■
Main spray arm	TripleWash arms	Main spray arm	TripleWash arms
Spray levels	5	Spray levels	5
AirDry	■	AirDry	■
WELS water star rating	5	WELS water star rating	5
Water consumption (litres)	12.2	Water consumption (litres)	12.2
Energy star rating	4	Energy star rating	4
Energy consumption (kWh/year)	245	Energy consumption (kWh/year)	245
Operation noise level dB(A)	44	Operation noise level dB(A)	44
Wash programs		Wash programs	
Number of programs	10	Number of programs	10
AutoFlex wash (auto sensing)	Yes, 3 x AutoFlex programs	AutoFlex wash (auto sensing)	Yes, 3 x AutoFlex programs
FlexiWash	■	FlexiWash	■
Eco 50°C	■	Eco 50°C	■
Quick 30 (min)	■	Quick 30 (min)	■
GlassCare 45°C / Mini 14'	Mini 14'	GlassCare 45°C / Mini 14'	Mini 14'
Intensive 70°C / Super 50' 65 °C	Super 50' 65 °C	Intensive 70°C / Super 50' 65 °C	Super 50' 65 °C
Rinse & Hold / Pre wash	Pre wash	Rinse & Hold / Pre wash	Pre wash
Steam wash	Steam wash	Steam wash	Daily 60°C
Wash options		Wash options	
TimeManager / Half Load	Half Load	TimeManager / Half Load	Half Load
Extra Hygiene	■	Extra Hygiene	■
XtraDry	■	XtraDry	■
MyFavourite / Extra Silent	Extra Silent	MyFavourite / Extra Silent	Extra Silent
Delay start	1-24 hours	Delay start	1-24 hours
Internal features		Internal features	
Tub material	Stainless steel	Tub material	Stainless steel
FlexiLift adjustable upper basket	■	FlexiLift adjustable upper basket	■
Foldable cup shelves & plate rack	■	Foldable cup shelves & plate rack	■
SoftGrips & SoftSpike for glass ware	■	SoftGrips & SoftSpike for glass ware	■
Foldable lower plate racks	■	Foldable lower plate racks	■
Cutlery drawer	■	Cutlery drawer	■
Soft wine stem supports	■	Soft wine stem supports	■
Technical specifications		Technical specifications	
Sliding hinges for integrated fit		Sliding hinges for integrated fit	
Levelling/adjustable height, mm	0-20	Levelling/adjustable height, mm	0-20
Water inlet	Cold or hot (up to 60°C)	Water inlet	Cold or hot (up to 60°C)
Dimension (H x W x D), mm	820-870 x 598 x 598	Dimension (H x W x D), mm	820-870 x 598 x 598



Great wash and whisper quiet

Upgrade to our existing machine and delighted so far. Extremely well built, quiet and the ComfortIft basket is great. I couldn't be happier.

– JohnnyB, Adelaide

To add a touch of professional inspiration to your home, visit electrolux.com.au or electrolux.co.nz

TOP SERVICE

Electrolux Top Service encompasses the after sales service including Delivery, Home Service and Spare Parts.

delivery

The purchase of a new appliance is an exciting experience. Electrolux customers can, for an additional charge, choose to have their new appliance delivered by our experienced staff. This service, at the customer's option, includes the removal and recycling of packaging materials and even the old appliance if necessary. Delivery is available in Adelaide, Brisbane, Melbourne, Perth and Sydney. It may not be available in some rural locations and is not available in New Zealand.

home service

Home Service is provided for repairs to appliances by trained technicians. Home Service is available throughout Australia and New Zealand.

spare parts

Home Service and Spare Parts can be contacted by phone using our toll free national numbers.

Australia

Service 13 13 49
Spare Parts 13 13 50
electrolux.com.au

New Zealand

Service 0800 10 66 10
Spare Parts 0800 10 66 20
electrolux.co.nz

warranty

Electrolux Home Products Pty Ltd and Electrolux (NZ) Limited (collectively Electrolux) warrants that for domestic applications the Appliances featured in this brochure are free from defects in materials and workmanship for 2 years, and warrants that for featured accessories a period of 12 months, following the date of original purchase and subject to the conditions set out in the warranty card accompanying the product when purchased. This warranty is in addition to the other rights and warranties you may have under the Australian Consumer Law (ACL) and Electrolux will at all times comply with its obligations at law including the ACL. For New Zealand customers Electrolux will at all times comply with its obligations pursuant to law including the Consumer Guarantees Act, the Sale of Goods Act and the Fair Trading Act. Where appliances are purchased in NZ for commercial purposes the Consumer Guarantees Act does not apply.

product information

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Electrolux will at all times comply with its obligations pursuant to law. Colours of products illustrated are as close as printing limitations allow.

Swedish thinking. Better living.



Electrolux Home Products

Australia

telephone: 1300 363 640
fax: 1800 350 067
email: customercare@electrolux.com.au
web: electrolux.com.au

New Zealand

telephone: 0800 436 245
fax: 0800 225 088
email: customercare@electrolux.co.nz
web: electrolux.co.nz

© 2019 Electrolux Home Products Pty Ltd
ABN 51 004 762 341



Printed on Monza Satin Recycled Art stock containing
99% recycled material, 1% Virgin wood fibre

© 2019 Electrolux (NZ) Limited
Company Number 36212

This document is printed on an environmentally responsible paper,
produced using Elemental Chlorine Free (ECF), FSC® Certified, Mixed
Source pulp from Responsible Sources, and manufactured under the strict
ISO14001 Environmental Management System.

