

60cm Dark stainless steel 16 multifunction steam oven with pyrolytic cleaning, Intuitive Oven Interface and Smart Food Probe.

RRP AUS \$3,149.00



Product Details

FEATURES

FullTaste steam cooking	Intuitive Oven Interface (IOI)	Smart Food Probe	Pyrolytic self-cleaning oven
FullFlex Telescopic Runners	Surround lighting for better illumination Keeping an eye on your delicious food couldnt be simpler, with halogen lights embedded in the front and back to illuminate the oven.	Soft close door	Easy glide side racks
Quadruple glazed doors	16 oven functions	80L gross capacity oven	

BENEFITS

For delicious taste, just add steam
Our advanced steam functions ensure you cook with just the right balance of steam and heat. The added moisture conducts heat faster so you will discover colours are richer, skins are crispier and textures are more tender and juicy.

Say hello to intuitive control
Cooking should be fun, not complicated. Our Intuitive Oven Interface (IOI) gives you a simpler and more enjoyable way to cook. You wont even need a manual.

The perfect result, every time
The Smart Food Probe ensures your dishes are delicious every time. The food probe alerts you when food reaches the desired core temperature and switches the oven off so you get the perfect result.

Love your cooking. We'll clean up.
Now you can unleash your creative skills in the kitchen, without worrying about the mess. Just set the pyrolytic function, come back when its finished and wipe away the residue, without hard scrubbing or exposure to harsh chemicals.

Smooth operator
Our fully extendable telescopic runners give you safe, effortless access to all areas of your oven. This makes it simple to turn, baste and check on your food for delicious results every time.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Oven	Single steam & Pyrolytic oven
Oven fuel	electric
Materials/Colour	Dark stainless steel,black
Controls of Oven	IOI,touch
Cooling fan	Yes

FLUSH FIT CUT OUT

Flush fit cut out height (mm)	600
Flush fit cut out width (mm)	600
Flush fit cut out depth (mm)	581

DIMENSIONS

PRODUCT DIMENSION

Total height (mm)	597
Total width (mm)	596
Total depth (mm)	572

MAIN OVEN

Gross capacity litres	80
Useable capacity litres	72
Oven function	multifunction
Number of functions	16

MAIN OVEN

Oven Functions	traditional bake,roast,pizza,cook from frozen,full grill,fan grill,keep warm,defrost,steam cooking,fan cooking,pastry,bread baking,steam reheating,rapid heat,pyro clean ,grill,Plus steam,rapid heat
----------------	---

Oven liner	pyrolux high temperature enamel
------------	---------------------------------

Timer functions	acoustic signal,duration,minute minder,Countdown,End time,Delayed start,Time of day
-----------------	---

ELECTRICAL CONNECTION

Connected load KW	3.1
Maximum current rating (amps)	12.9
Type of connection	hardwired
Minimum Fuse rating (amps)	16

OTHER FEATURES

Cleaning	pyrolytic
----------	-----------

Pyrolytic functions	3
---------------------	---

Type of Pyrolytic functions	pyrolytic light clean,pyrolytic medium clean,pyrolytic heavy clean
-----------------------------	--

Door	removable door,removable inner glass panes,Soft close
------	---

Timer	Fully programmable touch control timer
-------	--

Lights	3
--------	---

Light wattage	25
---------------	----

OTHER FEATURES

Light position	side and rear
Telescopic runners	two
Shelf support	Easy glide side racks
Number of shelves	3
Safety features	child button lock
Closed door grilling	Yes
Fold down grill element	Yes
Included accessories	baking tray, 2 x chromed wire shelf, side racks, grill/oven pan, Smart food probe, cast baking dish, telescopic runners (1 set)
Layers of glass in door	4
Number of shelf positions	5
Food probe	Yes

SHIPPING

Shipping Volume (m3)	0.28
Shipping Weight (Kg)	48.0

STUFFING QUANTITIES


40ft	153
------	-----

SHIPPING

Pack Dimensions Height (mm)	665
Pack Dimension Width (mm)	635
Pack Dimension Depth (mm)	670
Total shelf area (m ²)	42.55

Dimensions

Models:
EVEP614SD
EVEP614DSD
EVEP616DSD
EVEP618DSD



Pyrolytic cut-out dimensions

Type of fit	A (width)	B (height)	C (depth)	D*
Flush fit (mm)	600	600	581 min.	20

Please note! Dimensions to be used as a guide only. All customers MUST refer to the user manual supplied with the product for detailed installation instructions.

* D - Dimension

For proper ventilation there must be a gap at the bottom rear of the cabinet. This can be a slot 20mm deep or an equivalent full width opening (e.g. a series of holes) with a min area of 120cm². The opening must be clear of the product when fully installed. This is a requirement any EVEPxxxx model. Power point connection for the EVEP618SD must be accessible with the appliance fully installed. If the supply cord is damaged it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz