GIGA 6: Specifications

Print Datasheet

		ies

Products	Espresso 2 x Espresso Coffee 2 x Coffee 2 x Coffee Cappuccino 2 x Cappuccino Caffè latte 2 x Caffè latte Caffè Barista 2 x Caffè Barista Lungo Barista Lungo Barista Espresso doppio Macchiato 2 x Macchiato Cortado 2 x Cortado Latte macchiato
	2 x Latte macchiato Flat white 2 x Flat white Portion of milk foam 2 x Portion of milk foam Portion of milk 2 x Portion of milk Jug of coffee Pot of coffee Hot water Hot water for green tea
Number of speciality coffees	28
Specific advantages	
Intelligent preheating	√
Automatic Grinder Adjustment (A.G.A.)	✓
Active bean monitoring	✓
Automatic switchover from milk to milk foam	✓
JURA Cockpit with maintenance status display	\checkmark
WiFi connection to home network	✓
os://au.jura.com/en/homeproducts/machines/GIGA-6-Aluminium-AU-15395/Specifications#tabs	

JURA standards Pulse Extraction Process (RE.R.®) ✓ One-Touch Lungo function ✓ One-Touch function ✓ Variable brewing unit 5 - 16 g Grinder 2 electronically adjustable ceramic disc grinders High-performance pump, 15 bar 2 Thermoblock heating system 2 Fluid systems 2 Milk system / interchangeable milk spout HP2 / CX2 Powder chute for ground coffee ✓ Aroma preservation cover ✓ Operating and programming standards ✓ Compatible with J.O.E.® ✓ Rotary Switch ✓ Display d.3" Touchscreen colour display Save, copy and personalise products ✓ Programmable and individually adjustable amount of water ✓ Programmable and individually adjustable coffee strength (Levels) 10 Programmable milk / milk foam temperature (Levels) 10	Transmitter supplied as standard	WiFi Connect
One-Touch Lungo function One-Touch function Variable brewing unit 5 - 16 g Grinder 2 electronically adjustable ceramic disc grinders High-performance pump, 15 bar 2 Thermoblock heating system 2 Fluid systems 2 Milk system / interchangeable milk spout HP2 / CX2 Powder chute for ground coffee V Aroma preservation cover Operating and programming standards Compatible with J.O.E.® Rotary Switch Display 4.3" Touchscreen colour display Save, copy and personalise products Programmable and individually adjustable amount of water Programmable amount of milk / milk foam V	JURA standards	
One-Touch function Variable brewing unit 5 - 16 g Grinder 2 electronically adjustable ceramic disc grinders High-performance pump, 15 bar 2 Thermoblock heating system 2 Fluid systems 2 Milk system / interchangeable milk spout HP2 / CX2 Powder chute for ground coffee ✓ Aroma preservation cover ✓ Operating and programming standards Compatible with J.O.E.® Rotary Switch V Pisplay Save, copy and personalise products Programmable and individually adjustable amount of water Programmable amount of milk / milk foam ✓ Programmable amount of milk / milk foam	Pulse Extraction Process (P.E.P.®)	\checkmark
Variable brewing unit Grinder Grinder 2 electronically adjustable ceramic disc grinders High-performance pump, 15 bar 2 Thermoblock heating system 2 Fluid systems 2 Milk system / interchangeable milk spout HP2 / CX2 Powder chute for ground coffee ✓ Aroma preservation cover ✓ Operating and programming standards Compatible with J.O.E.® Kotary Switch Display Save, copy and personalise products Programmable and individually adjustable amount of water Programmable amount of milk / milk foam V 2 2 4.3° Touchscreen colour display 5 4.3° Touchscreen colour display 5 5 6 g	One-Touch Lungo function	\checkmark
Grinder 2 electronically adjustable ceramic disc grinders High-performance pump, 15 bar 2 Thermoblock heating system 2 Fluid systems 2 Milk system / interchangeable milk spout HP2 / CX2 Powder chute for ground coffee ✓ Aroma preservation cover ✓ Operating and programming standards ✓ Compatible with J.O.E.® ✓ Rotary Switch ✓ Display 4.3" Touchscreen colour display Save, copy and personalise products ✓ Programmable and individually adjustable amount of water ✓ Programmable and individually adjustable coffee strength (Levels) 10 Programmable amount of milk / milk foam ✓	One-Touch function	\checkmark
High-performance pump, 15 bar 2 Thermoblock heating system 2 Fluid systems 2 Milk system / interchangeable milk spout HP2 / CX2 Powder chute for ground coffee	Variable brewing unit	5 - 16 g
Thermoblock heating system 2 Fluid systems 2 Milk system / interchangeable milk spout HP2 / CX2 Powder chute for ground coffee ✓ Aroma preservation cover ✓ Operating and programming standards Compatible with J.O.E.® ✓ Rotary Switch ✓ Display 4.3" Touchscreen colour display Save, copy and personalise products ✓ Programmable and individually adjustable amount of water ✓ Programmable and individually adjustable coffee strength (Levels) 10 Programmable amount of milk / milk foam ✓	Grinder	
Fluid systems 2 Milk system / interchangeable milk spout HP2 / CX2 Powder chute for ground coffee	High-performance pump, 15 bar	2
Milk system / interchangeable milk spout Powder chute for ground coffee Aroma preservation cover Operating and programming standards Compatible with J.O.E.® Rotary Switch Display Save, copy and personalise products Programmable and individually adjustable amount of water Programmable and individually adjustable coffee strength (Levels) Programmable amount of milk / milk foam HP2 / CX2 HP2 / CX2 HP2 / CX2 HP2 / CX2 HP2 / CX2 HP2 / CX2 HP2 / CX2 HP2 / CX2 HP2 / CX2 HP2 / CX2 HP2 / CX2	Thermoblock heating system	2
Powder chute for ground coffee Aroma preservation cover ✓ Operating and programming standards Compatible with J.O.E.® ✓ Rotary Switch Display Save, copy and personalise products Programmable and individually adjustable amount of water Programmable and individually adjustable coffee strength (Levels) Programmable amount of milk / milk foam ✓	Fluid systems	2
Aroma preservation cover Operating and programming standards Compatible with J.O.E.® Rotary Switch Display Save, copy and personalise products Programmable and individually adjustable amount of water Programmable and individually adjustable coffee strength (Levels) Programmable amount of milk / milk foam	Milk system / interchangeable milk spout	HP2 / CX2
Operating and programming standards Compatible with J.O.E.® ✓ Rotary Switch ✓ Display 4.3" Touchscreen colour display Save, copy and personalise products ✓ Programmable and individually adjustable amount of water ✓ Programmable and individually adjustable coffee strength (Levels) 10 Programmable amount of milk / milk foam ✓	Powder chute for ground coffee	✓
Compatible with J.O.E.® Rotary Switch Display Save, copy and personalise products Programmable and individually adjustable amount of water Programmable and individually adjustable coffee strength (Levels) Programmable amount of milk / milk foam ✓	Aroma preservation cover	✓
Rotary Switch Display 4.3" Touchscreen colour display Save, copy and personalise products ✓ Programmable and individually adjustable amount of water ✓ Programmable and individually adjustable coffee strength (Levels) 10 Programmable amount of milk / milk foam ✓	Operating and programming standards	
Display 4.3" Touchscreen colour display Save, copy and personalise products ✓ Programmable and individually adjustable amount of water Programmable and individually adjustable coffee strength (Levels) 10 Programmable amount of milk / milk foam	Compatible with J.O.E.®	\checkmark
Save, copy and personalise products Programmable and individually adjustable amount of water Programmable and individually adjustable coffee strength (Levels) 10 Programmable amount of milk / milk foam	Rotary Switch	✓
Programmable and individually adjustable amount of water ✓ Programmable and individually adjustable coffee strength (Levels) 10 Programmable amount of milk / milk foam ✓	Display	
Programmable and individually adjustable coffee strength (Levels) 10 Programmable amount of milk / milk foam √	Save, copy and personalise products	\checkmark
Programmable amount of milk / milk foam √	Programmable and individually adjustable amount of water	\checkmark
	Programmable and individually adjustable coffee strength (Levels)	10
Programmable milk / milk foam temperature (Levels) 10	Programmable amount of milk / milk foam	✓
	Programmable milk / milk foam temperature (Levels)	10
Programmable brewing temperature (Levels) 3	Programmable brewing temperature (Levels)	3

Programmable temperature of hot water (Levels)	3
Hygiene standards	
Intelligent Water System (I.W.S.)	✓
CLARIS filter cartridge	CLARIS Smart
Integrated rinsing, cleaning and descaling programme	✓
Monitored drip tray	\checkmark
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M. [©])	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓
Programmable switch-on/switch-off time	\checkmark
Design and materials	
Alu Frame Design© 3 mm	✓
Amber / white cup illumination	✓
In figures	
Height-adjustable / width-adjustable dual spout	69 – 158 mm / 20 – 50 mm
Height-adjustable hot water spout	69 165
Water tank capacity	2.6
Bean container holding capacity	560
Coffee grounds container (approx. servings)	20
Cable length (approx.)	1.2
Voltage / Power	230 V ~ / 2300 W

Weight	18
Dimensions (W \times H \times D)	32 × 41,5 × 48 cm
Article Number	15395
Product code	Aluminium (EA)
Width	32
Height	41.5
Depth	48