

**1.6kW window/wall cooling only air conditioner has modern design, with auto swing, gold shield external & blue shield internal corrosion resistant heat exchangers and auto restart.**

RRP AUS \$569.00



## Product Details

### FEATURES

---

5 year comprehensive residential warranty

Refer to the warranty terms and conditions in the brochure or on the product's warranty card

Air swing auto/manual

Manual operation

Cooling only operation

Combined with dehumidification and fan only modes ensures comfort in your home

---

Auto restart

---

### BENEFITS

---

Take whatever the weather can dish out

Kelvinator air conditioners are built for the harsh Australian climate. Corrosion resistance on both the indoor and outdoor units ensures your air conditioner will last, whether you live on the coast or in the country.

Compact

The super compact design means that window wall cooling only air conditioners are discreet and unobtrusive in your home. They are also perfect for cooling smaller family homes and space-restricted areas.

---

Simple, economic and reliable

Because there are no separate indoor and outdoor units, its easier to install a window wall cooling only model. And because its a Kelvinator, you know it is reliable and built to last.

Fresh air delivery

The fresh air return provides additional ventilation to your room and can also assist in humidity control. The easy-to-service dust filter removes dust and other larger airborne particles for cleaner air.

---

## Specifications

### PRODUCT PROFILE

---

Domestic warranty details (yrs)	5
---------------------------------	---

---

### SPECIFICATIONS

---

Capacity cool watts	1600
---------------------	------

---

Current rating amps	10 amps
---------------------	---------

---

Service cord length	1
---------------------	---

---

Colour of fascia	white
------------------	-------

---

Compressor type	rotary
-----------------	--------

---

Indoor sound pressure dBA high setting	49
--	----

---

Indoor sound pressure dBA low setting	45
---------------------------------------	----

---

Outdoor sound pressure dBA	56
----------------------------	----

---

Indoor air circulation max (ltr/s)	103
------------------------------------	-----

---

Ambient temperature range minimum	18
-----------------------------------	----

---

Ambient temperature range maximum	46
-----------------------------------	----

---

Moisture removal ltr/hour	0.5
---------------------------	-----

---

## SPECIFICATIONS

---

New Energy star rating cooling	2
--------------------------------	---

---

Cooling EER	3.33
-------------	------

---

Refrigerant weight (g)	350
------------------------	-----

---

Refrigerant type	R32
------------------	-----

---

Outdoor Sound Power dBA	66
-------------------------	----

---

## FEATURES

---

Filtration	dust
------------	------

---

Fan speeds	low,medium,high
------------	-----------------

---

## PACKED DIMENSIONS

---

Shipping Volume (m3)	0.12
----------------------	------

---

Shipping Weight (Kg)	32
----------------------	----

---

Pack Dimensions Height (mm)	374
-----------------------------	-----

---

## DIMENSIONS

---

Total height (mm)	350
-------------------	-----

---

Total width (mm)	450
------------------	-----

---

Total depth (mm)	580
------------------	-----

---

## STUFFING QUANTITIES

---

20ft	216
------	-----

---

40ft	444
------	-----

---

40ft HC	518
---------	-----

---

**PACKED DIMENSIONS**

---

Pack Dimension Width      521  
(mm)

---

Pack Dimension Depth      671  
(mm)

---

## Terms and Conditions

### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: [customercare@electrolux.com.au](mailto:customercare@electrolux.com.au)

web: [www.electrolux.com.au](http://www.electrolux.com.au)

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.electrolux.co.nz](http://www.electrolux.co.nz)