

N 90
T29TA79NOA
90 CM GAS COOKTOP WITH INTEGRATED CONTROLS,
BLACK CERAMIC GLASS



The gas cooktop with an extremely heat-resistant ceramic glass surface and incrementally adjustable FlameSelect.

- ✓ FlameSelect - Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 gradations. Always the same reliable and precise power levels for outstanding cooking convenience.
- ✓ Dual flame system for high temperatures at up to 22 MJ/h when cooking large quantities.
- ✓ Extremely easy-to-clean ceramic glass surface.
- ✓ Continuous cast-iron pan supports for maximum stability and cooking convenience.

Features

Technical Data

Product name/family : gas hob w integrated controls
 Construction type : Built-in
 Energy input : Gas
 Total number of positions that can be used at the same time : 5
 Required niche size for installation (HxWxD) : 45 x 850-852 x 490-502
 Width of the product (mm) : 918
 Dimensions of the product (mm) : 45 x 918 x 546
 Dimensions of the packed product (HxWxD) (mm) : 165 x 1116 x 659
 Net weight (kg) : 17.0
 Gross weight (kg) : 21.0
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Basic surface material : Ceramic
 Color of surface : Black, Stainless steel
 Color of frame : Black, Stainless steel
 Approval certificates : Australia Standards, Australia Standards
 Length electrical supply cord (cm) : 150
 EAN code : 4242004218173
 Electrical connection rating (W) : 2
 Gas connection rating (W) : 13700
 Current (A) : 3
 Voltage (V) : 220-240
 Frequency (Hz) : 50

Included accessories

1 x cross support for espresso
 1 x WOK attachment ring



4 242004 218173

Optional accessories

Z2480X0 Simmer plate

N 90
T29TA79NOA
90 CM GAS COOKTOP WITH INTEGRATED
CONTROLS, BLACK CERAMIC GLASS

Features

Design

- Black ceramic glass
- Stainless steel frame
- Design burner - special flat design

Comfort & Convenience

- FlameSelect (9 steps)
- Digital display
- sword knobs
- Knob ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

Size & Power

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok burner
- Left: Wok burner 22 Mj/h
- Center rear: Economy burner 4.8 Mj/h
- Center front: Standard burner 8.1 Mj/h
- Right rear: High-speed burner 11.6 Mj/h
- Right front: Standard burner 8.1 Mj/h

Safety and Environment

- Flame failure device fitted to each individual burner
- 5-fold residual heat indicator
- Preset to natural gas (20mbar)

Dimensions (WxD)

- 90 cm width
- Installation measurements: 850 mm x 490 mm
- Power cord length: 150 cm

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included
- 1 x Wok attachment ring, 1 x cross support for espresso included.

N 90
T29TA79NOA
90 CM GAS COOKTOP WITH INTEGRATED
CONTROLS, BLACK CERAMIC GLASS

Dimensioned drawings

