

SOPA3302TPX



Category Product Family Power supply Heat source Cooking method Cleaning system EAN code 30" Oven Electric ELECTRICITY Thermoseal Pyrolitic 8017709311131



Aesthetics

Aesthetic	Classic	Serigraphy colour	Black
Colour	Stainless steel	Serigraphy type	Symbols and wordings
Finishing	Fingerproof	Door	With 2 horizontal strips
Design	Flat	Handle	Classic
Material	Stainless steel	Handle Colour	Inox
Type of steel	Brushed	Logo	Embossed
Glass Type	Eclipse		

Controls

EVO

Display name	EvoScreen	No. of controls	2	
Display technology	LED	Control knobs	Classic	
Control setting	Knobs & touch buttons	Controls colour	Steel effect	


Programs / Functions

No. of cooking functions



Traditional cooking functions				
Static	🛞 Fan assisted	Circulaire		
🛞 Turbo	ECO Eco	Large grill		
😨 Fan grill (large)	Base	Circulaire + bottom		
Bizza				
Other functions				
Defrost by time	Proving	Sabbath		
Cleaning functions				
Pirolysis				

Options



Technical Features

.6 🖉 📝 💭	0 🖾		
Minimum Temperature	50 °C	Heating suspended	Yes
Maximum temperature	250 °C	when door is opened	
No. of shelves	6	Door opening type	Standard opening
Shelves type	Metal racks	Door	Cool
N. of fans	1	Removable door	Yes
No. of lights	2	Full glass inner door	Yes
Light type	Halogen	Removable inner door	Yes
User-replaceable light	Yes	Total no. of door glasses	4
Light Power	40 W	Safety Thermostat	Yes
Light when door is	Yes	Cooling system	Tangential
opened		Cooling duct	Double
Lower heating element	1700 W	Speed Reduction	Yes
power		Cooling System	
Upper heating element - Power	1200 W	Door Lock During	Yes
Grill element - power	1700 W	Pyrolisis	
Large grill - Power	2900 W		
Luige gilli - Fower	2300 W		



Circular heating element 2000 W - Power

Usable cavity space dimensions (HxWxD) Temperature control Cavity material

439x621x429 mm

Electronic Ever clean Enamel

1

Performance / Energy Label

Net volume of the cavity 111 |


Number of cavities

Accessories Included

p				
Rack with back stop	2	Temperature probe	Yes, single point	
Enamelled deep tray (40mm)	1			

Electrical Connection

Voltage	220-240 V	Voltage 2 (V)	380-415 V
Current	18 A	Frequency (Hz)	50 Hz
Nominal power	4000 W	Power supply cable length	115 cm





Symbols glossary (TT)

ე	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	ينين	Air cooling system: to ensure a safe surface temperatures.
炎	Defrost by time: with this function the time of thawing of foods are determined automatically.	4	Quadruple glazed: Number of glazed doors.
55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking.	EVO	
œ	Electric	<u> </u>	Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.
and the second s	Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven.	(%)	Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.
\bigcirc	Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.		Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.
۲	Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.		Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.
ECO	ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.	·	Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.
(%)	Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.	۲	Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.



	Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.		All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	ગીંહ	KEEP_WARM_72dpi
°°	Side lights: Two opposing side lights increase visibility inside the oven.	P	Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.
P	Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops		Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted
<u>=</u>	Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.	i	Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works
. <u>.</u>	The oven cavity has 6 different cooking levels.	ŝ	Electronic control: Allows you to maintain temperature inside the oven with the precision 2- 3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.