

SOPA6104S2PN







Category 60cm
Product Family Oven
Power supply Electric
Heat source ELECTRICITY
Cooking method Combi Steam
Cleaning system Pyrolitic

EAN code 8017709313821



Aesthetics

Aesthetic Linea Glass Type Clear Full glass Colour Black Door **Finishing** Handle Glossy Linea Design Flat **Handle Colour** Chromed Silk screen Material Glass Logo

Controls



Display name
Display technology
Control setting

VivoScreen TFT

Advanced full touch

No. of display languages Display languages

20

Italiano, English (UK), Français (FR), Français (CA), Nederlands, Español (ES), Español (MX), Português (PT), Svenska, Pyccкий, Deutsch (DE), Dansk, Norsk, Polski, English (AU), Suomi, Ukrainian, Kazakh, Afrikaans (ZA), Zulu (ZA)

Programs / Functions

No. of cooking functions 19
Automatic programmes 150

Steam assisted levels 3 + manual



Timer

Safety

Controls Lock / Child

3

Yes

Customisable recipes Traditional cooking funct	ions	10				
Static	Fan assisted	8	Circulaire			
Turbo	ECO Eco	****	Large grill			
Fan grill (large)	Base	<u>@</u>	Circulaire + bottom			
Pizza						
Cooking functions with pulsed steam						
Fan assisted	& Circolaire	& 3	Circulaire + Bottom			
Turbo	Fan Grill					
Cooking functions with st	eam					
Fan assisted	(Circulaire	Turb	0			
Grill + fan						
Other Steam functions						
Tank cleaning		4	Water input			
Descaling						
Other functions						
Defrost by time	Defrost by we	eight	Proving			
Stone cooking	ВВQ		Air-Fry			
Keep warm	Plate rack/wa	rmer	Sabbath			
Cleaning functions						
Pirolysis						
Options						
	Delay start and automatic	CamaTi	Voo			
Time-setting options	Delay start and automatic end cooking	SameTime DeltaT cooking	Yes Yes			
Minute minder	Yes	Showroom demo opt				

SMEG SPA 6/07/2023

Demo-tutorial mode

Touch guide

Yes

Yes



Other options Keep warm, Eco light,

Yes

Language setting, Digital clock display, Tones, Tones

volume, Brightness

Cooking with probe

thermometer

Multi-step cooking Yes, up to 2 steps

Smart cooking Yes Chronology

Yes, the last 10 functions

utilised

Rapid pre-heating

Instant GO

Yes Yes

Technical Features





Shelves type









30°C

280°C

Metal racks

5

Yes

Yes

1200 W















Minimum Temperature Maximum temperature

No. of shelves

N. of fans 1

No. of lights 2 Light type Halogen User-replaceable light Yes **Light Power** 40 W

Light when door is opened

Lower heating element

power

Upper heating element - 1000 W

Power

1700 W Grill element - power Large grill - Power 2700 W Circular heating element 2000 W

- Power

Heating suspended

when door is opened

Door opening type Standard opening

Door Cool Removable door Yes Full glass inner door Yes Removable inner door Yes Total no. of door glasses 4 Soft Close hinges Yes Soft Open Yes Safety Thermostat Yes Chimney Fixed Cooling system **Tangential** Cooling duct Double Speed Reduction Yes

Cooling System

Door Lock During

Pyrolisis

20 - 40% Steam range

Usable cavity space

dimensions (HxWxD)

Temperature control Electronic

Cavity material Ever clean Enamel Water loading Drawer, manual

Yes

2.45 MJ

353x470x401 mm

Tank capacity 18,0

Performance / Energy Label



Energy efficiency class Net volume of the cavity 681

Energy consumption per 1.09 KWh cycle in conventional

mode

Energy consumption in conventional mode

3.92 MI

Energy consumption in forced air convection

Energy consumption per 0.68 KWh

cycle in fan-forced

convection

Number of cavities 1 **Energy efficiency index** 81 %

Accessories Included







Enamelled tray (20mm) 1 total Extraction


Enamelled deep tray 1 Temperature probe Yes, multipoint (50mm) Other water loading kit

Electrical Connection

1

Insert gird

Plug (I) Australia Nominal power 3000 W
Voltage 220-240 V Frequency (Hz) 50/60 Hz
Current 13 A Power supply cable length





Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



GTP2

Partially extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



PR3845N

Black cover for furniture when more ovens are installed in column



PR3845X

Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



PRTX

Refractary pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.



ET50

Enamelled tray, 50mm deep



GTT2

Totally extractable telescopic guides (1 level), suitable for traditional ovens. Made in stainless steel, they guarantee stability and facilitate the smooth extraction of the trays.



BN620-1

Enamelled tray, 20mm deep



ET20

Enamelled tray, 20mm deep



GT1P-2

Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm. Material: Stainless steel AISI 430 polished.



BBQ

Double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of grilled cooking. The ribbed side is particularly suitable for meats and cheeses. The smooth side for fish, seafood and vegetables.



PALPZ

Pizza shovel with fold away handle width: 315mm length: 325mm



BN640

Enamelled tray, 40mm deep



Symbols glossary (TT)



Dedicated cooking function for the double sided plate BBQ. Suitable for recreating succulent and crispy dishes in the oven with the typical taste of g



•••



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Combination steam: ovens can be used either as a steam oven, or as a traditional oven, or alternatively the two methods can be combined.



Air cooling system: to ensure a safe surface temperatures.



Defrost by time: with this function the time of thawing of foods are determined automatically.



Defrost by weight: With this function the defrosting time is determined



Descaling function: Is essential to remove excess deposits of limestone in the tank and allow the proper operation of the product. The need to perform this operation is signaled by the product itself.



Quadruple glazed: Number of glazed doors.



Automatic lighting switches off: for greater energy savings, the lighting switches off automatically after one minute from the start of cooking.



Electric



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fresh Touch: Most of Smeg ovens have a "cool door." Thanks to the combination of tangential cooling and internal heat-reflecting glasses, the temperature on the outer surface of the door is maintained below 50° C. In addition to providing safety, this system protects the sides of the furniture from overheating by the oven.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.



•••

PA

DeltaT cooking The oven automatically sets the cavity temperature to a predefined temperature (named deltaT) higher than the core temperature detected by the probe. When the probe detects an extra degree at the core, the oven automatically increases also its internal temperature by one degree. The oven offers the possibility to choose between three different deltaT cooking modes (slow, medium and fast) and to set any desired core temperature. A concentration of technology that makes it possible to obtain tender, juicy, healthy products of the highest quality.





Circulaire with lower element: The addition of the lower element adds extra heat at the base for food which requires extra cooking.



Circulaire: The combination of the fan and circular element around it gives a hot air cooking method. This provides many benefits including no preheat if cook time is more than 20 minutes, no flavour transfer when cooking different foods at the same time, less energy, and shorter cook times. Good for all types of food.



ECO: The combination of the grill, fan and lower element is particularly suitable for cooking small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Pizza function: The simultaneous operation of three elements ensures an optimum cooking facility when used with the Smeg pizza stone.



Fan combined with traditional cooking, where heat is generated from above and below, provides uniform heat. Adding the steam function allows the same cooking results in less time.



Circulaire element with steam: Cooking with the simultaneous use of the circular heating element in combination with fan and steam supply.



FUN_STEAM_OTHER_WATER_IN_OUT_72dpi



Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



Fan with grill with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.



Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.



Circulaire + lower element with steam assist: Ideal for reheating flans and quiches. This function will re-crisp the base, whilst filling will not dry out due to the additional moisture in the cooking cavity.



Circulaire with steam assist: Provides extra moisture to food during cooking. Excellent for bread baking. The moisture allows the bread dough to stretch further at the beginning of cooking, creating an aerated and light textured dough. The remaining part of the cooking process allows for the signature crust to form.



Turbo with steam assist: For creating a perfectly roasted meat joint. The extra moisture keeps the meat juicy and tender, whilst the heat from the turbo function creates the caramelised flavours we know and love.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



	technology with style		
	The inner door glass: can be removed with a few quick movements for cleaning.	စ္ခါ့ပ	KEEP_WARM_72dpi
ġ [©]	Side lights: Two opposing side lights increase visibility inside the oven.	P	Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.
	Warming up: An option for dish warming and keeping the prepared meals hot.	p	Cooking with temperature probe: It is possible to display the temperature detected by the probe and set a target temperature that the dish must reach. When the core of the dish reaches the desired temperature, cooking stops
	Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted		Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.
i	Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works	Q.	Touch guide: By holding down any symbol for 3 seconds you can get information on its function
<u>.5</u>	The oven cavity has 5 different cooking levels.	₹	Smart Cooking System: for the perfect cooking it is simply necessary choosing the kind and the weight of food and the cooking temperature: any other setting will be established automatically.
	Soft close: all models are equipped with advanced function of smooth closing of the door, which allows the device to close smoothly and quietly.	/iii\	To guarantee the optimal functioning of the appliance, it is suggested to carry out the tank cleaning roughly once every 2-3 months.
	Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.	٢	Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.
68 It	The capacity indicates the amount of usable space in the oven cavity in litres.	(s)	
		/3i	

SMEG SPA 6/07/2023

Dedicated cooking function for the rectangular refractory stone PPR2 Dimensions Ideal for cooking pizzas with the same results as a typical

wood-fire

Dedicated cooking function for the Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat.