

SOPA6301TN

Category Product Family Power supply Heat source Cooking method Galileo Technology Cleaning system EAN code

60cm Oven Electric ELECTRICITY Thermoseal Traditional pyro Pyrolitic 8017709314040



Aesthetics

Aesthetic	Classic	Serigraphy colour	Silver
Colour	Black	Serigraphy type	Symbols
Finishing	Matt	Door	With 2 horizontal strips
Design	Flat	Handle	Linea
Material	Stainless steel	Handle Colour	All black special editior
Glass Type	Eclipse	Logo	Silk screen

Controls

COMPACT screen				
Display name	CompactScreen	No. of controls	2	
Display technology	LCD	Control knobs	Classic	
Control setting	Knobs	Controls colour	Matt black	

Programs / Functions


No. of cooking functions

10



Traditional cooking functions R Static Fan assisted **?**? Circulaire 1 Turbo ECO Large grill Eco 3 8 Fan grill (large) Base Circulaire + bottom Pizza 0 Other functions * 111 Sabbath Defrost by time Proving **Cleaning functions** P. Pirolysis

Options



Technical Features

.5 0 0 0			
Minimum Temperature	30 °C	Door opening type	Standard opening
Maximum temperature	280 °C	Door	Temperate door
No. of shelves	5	Removable door	Yes
Shelves type	Metal racks	Full glass inner door	Yes
N. of fans	1	Removable inner door	Yes
No. of lights	2	Total no. of door glasses	4
Light type	Halogen	Safety Thermostat	Yes
User-replaceable light	Yes	Chimney	Fixed
Light Power	40 W	Cooling system	Tangential
Light when door is	Yes	Cooling duct	Single
opened		Usable cavity space	353x470x401 mm
Lower heating element	1200 W	dimensions (HxWxD)	
power		Temperature control	Electronic
Grill element - power	1800 W	•	Ever clean Enamel
Circular heating element		Cavity material	Ever clean Enamer
- Power	2000 11		
Heating suspended when door is opened	Yes		



Performance / Energy Label

Energy efficiency class A+ Net volume of the cavity 68 l Energy consumption per 1.09 KWh cycle in conventional mode Energy consumption in 3.92 MJ conventional mode


Energy consumption in
forced air convection2.45 MJEnergy consumption per
cycle in fan-forced
convection0.68 KWhNumber of cavities1Energy efficiency index81 %

Accessories Included

Enamelled tray (20mm)	1	Telescopic Guide rails,	1
Enamelled deep tray	1	partial Extraction	
(50mm)		Rack with back and side	1
Insert gird	1	stop	

Electrical Connection

Plug	(I) Australia	Nominal power	3000 W
Voltage	220-240 V	Frequency (Hz)	50/60 Hz
Current	13 A	Power supply cable length	115 cm





Not included accessories

AIRFRY

Air fryer rack AIRFRY . Ideal for recreating traditional frying in the oven, but with fewer calories and less fat. It allows you to cook quickly and simply dishes such as French fries, fried vegetables and fish, ensuring perfect browning and crispiness.



Alternative products




SOPA6301TX

Stainless steel



Symbols glossary (TT)





r,	_	_	_	
		1		
	1	21		٠
	r		-	Å
		1	2	ŝ
	IL:S		/	

The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



Air at 40°C provides the perfect environment for proving yeast type dough mixes. Simply select the function and place dough in the cavity for allotted



Sabbath: This function allows you to cook food during the Sabbath, the Holiday of rest in the Jewish religion, respecting the precepts. The oven works



Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



The capacity indicates the amount of usable space in the oven cavity in litres.

KEEP_WARM_72dpi

Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.



Rapid preheat: The rapid preheat function can be used to reach the selected temperature in just a few minutes.



ŝ

å

P

The oven cavity has 5 different cooking levels.

Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings.