

6.0kg EZI Set top load washing machine with 11 wash programs, gentle agitator wash action, gentle drum, time remaining display and delay end.

RRP AUS \$699.00



Product Details

FEATURES

Wash options you really need Fast wash program Delay end option to plan when your wash finishes Gentle drum

Delicates wash program Reduce wash time option
Delicates wash program

BENEFITS

Durable lid to take the weight
You will open and shut the lid of your washing machine thousands of times. So the EZI Set washing machine features a redesigned lid that is not only stylish but also durable. It will easily withstand a basket full of wet towels thrown on top.

Better results with a new gentler drum
Designed to treat your clothes with the care they deserve, the gentle drum has thousands of holes to enhance the water flow rate so that detergent dissolves faster. This improves effectiveness and ensures a deeper clean.

EZI Set controls
Enjoy great results at the touch of a button. With everything you need at your fingertips, the full-touch controls are easy to use and help you get your washing done faster. Simply work your way from left to right, set your wash and go. Plus, a quick wipe down is all you need to keep things clean.

Durable and easy to clean premium lid
The toughened glass lid is not only stylish but durable. Its scratch resistant flat surface can be used as an additional work space in your laundry room and best of all its easy to wipe clean.

Save time with fast wash programs
Sometimes you just need to get a few things clean fast and that's where the super Quick 20 minute program comes in handy. The Daily 45 minute program is ideal of your regular loads.

Don't wait for a wash to finish
All EZI Set models feature a time remaining display so you don't have to wait around for a wash to finish. You can better plan your day and get on with things you'd rather do.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Capacity (Kg)	6.0

ENERGY

Energy Star Rating	2.5
Energy Consumption Warm (KWhr/yr)	414
Water efficiency star rating	3.5
Water consumption (litres)	73

DIMENSIONS

Total height (mm)	975
Total width (mm)	575
Total depth (mm)	642
Height with lid open (mm)	1375
Depth with hoses (mm)	655

WASH PROGRAMS

Number of Programs	11
Toploader Wash programs	delicates,drain and spin,rinse and spin,heavy duty,Regular wash,Cold wash,Bedding,Daily 45,Quick 20,Favourite,Sportswear
Wash options	wash temperatures,variable water level,Soak time,Rinse option
weight (kg)	6.0
Dispenser	bleach dispenser,Softener dispenser

CONTROLS

Type of controls	electronic push button,electronic rotary
Control panel colour	white
Functions available	time remaining,fault diagnostic display,delay end
Type of display	LED
Dirt level selection	No

BOWL

Spin tub material	stainless steel
-------------------	-----------------

CABINET

Cabinet Colour	white
Cabinet Type	curved front

WASH PROGRAMS

On screen stain guide	No
-----------------------	----

BUTTON FUNCTION

Button Functions	power/on/off,rinse option,water temp,water level,start/pause,Delay end
------------------	--

LID

Lid Removal	no
-------------	----

Lid Type	glass insert,Soft closing lid
----------	-------------------------------

TECHNICAL

Water pressure requirements min	50
---------------------------------	----

CABINET

Cabinet material	painting galvanized steel
------------------	---------------------------

TECHNICAL

Water pressure requirements max	800
Water supply	hot and cold
Inlet hose length	130
Inlet hose extension avail as spare part	Yes
Drain hose length	175
Drain hose extension avail as spare part	Yes
Service cord length	180
Toploader Wash system	Agitator wash action
Rinsing system	deep rinse,eco rinse,extra rinse,Fast rinse
Maximum spin speed	850
Variable spin speed	No
Number of spin speeds	1
Levelling legs, adjustable	2
Toploader Lint removal	filter in agitator
Buzzer	end of cycle,out of balance

SHIPPING

Shipping Weight (Kg)	37
----------------------	----

Pack Dimensions Height (mm)	1000
-----------------------------	------

Pack Dimension Width (mm)	610
---------------------------	-----

Pack Dimension Depth (mm)	665
---------------------------	-----

TECHNICAL

Clothes level indicator on agitator	No
-------------------------------------	----

STUFFING QUANTITIES

40ft HC	132
---------	-----

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz